

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	17	("4872071").URPN.	USPAT	OR	ON	2005/04/15 08:59
L6	22	("5168395").URPN.	USPAT	OR	ON	2005/04/15 09:10
L10	2254	(demagnetiz\$5 or eras\$3 or stabiliz\$5 degauss\$3) same (magnetic adj2 (head transducer pole)) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 09:33
L11	1090	10 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 09:33
L12	5	11 and (current near4 (profile or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 09:35
L13	30	11 and ((variable or varying or elpsed) near2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 09:36
L14	1	("2848107").URPN.	USPAT	OR	ON	2005/04/15 10:00
L21	3	(demagnetiz\$5 degauss\$3 eras\$3) near3 current same (first second) near3 (profile history)	USPAT	OR	ON	2005/04/15 10:03
L22	20	(demagnetiz\$5 degauss\$3 eras\$3) near3 current and (first second) near3 (profile history)	USPAT	OR	ON	2005/04/15 10:03
L23	3	("5355333" "6041012" "6104659").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 10:05
L24	2	("6442091").URPN.	USPAT	OR	ON	2005/04/15 10:06
L28	4	("3649752" "3723668" "4670799" "4714969").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:15
L29	3	(demagnetiz\$5 degauss\$3 eras\$3) near4 current near4 (vary\$3 variable chang\$3) near3 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:27
L30	3	(demagnetiz\$5 degauss\$3 eras\$3) near4 current near4 (vary\$3 variable chang\$3) near3 frequenc\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:17
L31	12	("4384313").URPN.	USPAT	OR	ON	2005/04/15 12:19
L32	24	(preamplifier or pre\$1amplifier or pre near2 amp) same (demagnetiz\$5 degauss\$3 eras\$3) near4 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:30
L33	44	(preamplifier or pre\$1amplifier or pre near2 amp) same (demagnetiz\$5 degauss\$3 eras\$3) near4 current	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:34
L34	6	("4847558" "5901001" "5905695" "6147488" "6260257" "6281677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:32

L35	697	(demagnetiz\$5 degauss\$3 eras\$3) near4 current same frequenc\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:34
L36	182	35 and (residual or residue)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:45
L37	464	35 and ((alternat\$3 near2 current) or AC)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 12:45
L38	49	37 and ((select\$3 choos\$3) near3 frequenc\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 13:49
L39	94	((pre adj2 amp) or preamplifier or pre\$1amplifier) and (detect\$3 sens\$3) near3 readback same (transducer head)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 14:00
L40	42	39 and (demagnetiz\$5 or eras\$3 or degass\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 13:54
L41	6	((pre adj2 amp) or preamplifier or pre\$1amplifier) near5 driver and (detect\$3 sens\$3) near3 readback same (transducer head)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 14:08
L43	150	(detect\$3 sens\$3) near3 readback same (transducer head) and (demagnetiz\$5 eras\$3 degauss\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/15 14:08
L57	9	(perpendicular near3 head) same (store near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 15:10
L58	8	(perpendicular adj2 (transducer head)) same (store near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 15:19
L59	47	(perpendicular adj2 (transducer head)) same (demagnetiz\$5 eras\$3 degauss\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 15:19
S1	10	((("6671117") or ("6671056") or ("6646827") or ("6621664") or ("6504675") or ("6038093") or ("5396369") or ("5392169") or ("5339470") or ("4970621")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/30 15:42
S2	7	((("4956728") or ("4821127") or ("4787002") or ("4651235") or ("4471403") or ("3938011") or ("3471862")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/30 15:47
S3	463	(sens\$3 detect\$3 determin\$3) same residual near2 magneti\$6 same pole	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 15:53
S4	14	S3 and (demagneti\$6 near2 current)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 15:54

S6	9	(write and return) near2 pole same transducer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 15:59
S7	7331	residual near3 (magnetization magnetism)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 15:59
S8	103	(demagnetize or demagnetization) same current near2 generator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 16:01
S9	16	S7 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 16:01
S10	5	("20020028355" "5616218" "5815342" "6531202" "6574072").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 16:04
S11	0	("6671117").URPN.	USPAT	OR	ON	2005/03/30 16:05
S12	4	("4903342" "5202745" "5903393" "6043921").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/30 16:05
S13	18	(transducer head) same (sens\$3 detect\$3) near5 (residu\$2 remnant leftover) near3 magnetiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:04
S14	704	(transducer head) same (residu\$2 remnant leftover) near3 magnetiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:06
S15	23364	(transmission near3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:05
S16	1933	(transducer head) same (residu\$2 remnant leftover) near3 magnetiz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:12
S17	320	(sens\$3 detect\$3) near3 current near3 residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:09
S18	2	demagnetiz\$5 near2 current near4 bi\$1direction\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:10

S19	1	S16 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:11
S20	1	S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:11
S21	30	time near2 (vary\$3 varies chang\$3) near3 current same (bidirectional or bi\$1directional)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:13
S22	0	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:15
S23	2809	360/66,46,45,113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:42
S24	79	S16 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:15
S25	13	("4651235" "4786991" "4799115" "4970621" "5038230" "5053892" "5168395" "5168409" "5187628" "5383064" "5392169" "5436772" "5465186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 11:17
S26	2	("6038093").URPN.	USPAT	OR	ON	2005/04/04 11:19
S27	9	S23 and (remov\$3 eras\$3) near4 residu\$2 near2 magnetiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:43
S28	9	S23 and ((remov\$3 eras\$3) near4 residu\$2 near2 magnetiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:44
S29	13015	(residu\$2 remnant) near2 (magnetiz\$6 coercivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:45
S30	102	S23 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 11:54

S31	60	S30 and dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 13:46
S32	1355	(360/66).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/04 14:08
S33	5	("4956728").URPN.	USPAT	OR	ON	2005/04/04 13:51
S34	3	("2993096" "4471403").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 13:56
S35	10	S32 and ((demagnetize or demagnetizing) same residu\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 14:02
S36	4	S32 and (bi\$1directional near2 current)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 14:05
S37	409	bi\$1direction\$2 near4 current same (linear\$2 exponent\$4 step)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 14:06
S38	4008	(360/60,66,68,46).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/04 14:09
S39	864957	S37 and transducer ner4 perpendicular	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:16
S40	0	S37 and transducer near4 perpendicular	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:16
S41	5	S37 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/04 14:16
S42	374	(decay\$3 taper\$3 decreas\$3) near4 (residual adj2 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 08:56
S43	13	("4651235" "4786991" "4799115" "4970621" "5038230" "5053892" "5168395" "5168409" "5187628" "5383064" "5392169" "5436772" "5465186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 09:10
S44	2	("6038093").URPN.	USPAT	OR	ON	2005/04/05 09:11
S45	4	("3649752" "3723668" "4670799" "4714969").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 09:33
S46	5240	(360/31,46,66,67,113).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/05 09:59

S47	3650	bi\$direction\$2 near4 current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 09:59
S48	34	bi\$direction\$2 near4 current near3 frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:01
S49	11	S47 same (residu\$2 near2 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:02
S50	43	(perpendicular near3 (transducer head)) same (residu\$2 near2 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:12
S51	23	(demagnetiz\$3 near4 current) same residu\$2 same dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:15
S52	189	(demagnetiz\$3 near4 current) same residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:15
S53	3	S46 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:15
S54	2	S47 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:16
S55	7	S46 and (demagnetiz\$3 same magnetic adj2 pole)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:20
S56	604	(preamplifier pre\$1amplifier amplifier) same (sens\$3 detect\$3) near5 residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:24
S57	206811	(remov\$3 demagnetiz\$5 eras\$3) near5 residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:25

S58	138036	(remov\$3 demagnetiz\$5 eras\$3) near2 residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:26
S59	28	S46 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 10:45
S60	47	S56 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:05
S61	42	amplif\$4 same (sens\$3 detect\$3) near4 (residu\$2 adj2 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:09
S62	13	(sens\$3 detect\$3) near4 (demagneti\$6 remov\$3) near5 (residu\$2 adj2 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:13
S63	0	324/210,212.ccls. and (demagneti\$6 near4 residu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:14
S64	339	(demagneti\$6 near4 residu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:14
S65	6	S64 and 360/66.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:16
S66	1107	(transducer head) same ((residue residual) near2 (magnetization magnetism))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:21
S67	101	S66 same (demagnetizing demagnetization)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:22
S68	1231	(transducer head) same ((residue residual remanence remnant) near2 (magnetization magnetism))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:22

S69	114	S68 same (demagnetizing demagnetization)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:22
S70	353	takada near2 noboru.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:32
S71	0	S70 and (remov\$3 near3 (residue residual))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:33
S72	10	S70 and (residue residual)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:34
S73	2	bidirectional near4 time near2 vary\$3 near3 current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:53
S74	76	(pre\$1amplifier or amplifier) same (sens\$3 detect\$3) near4 readback near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 11:56
S76	5357	(360/46,62,66,113,126,123).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 08:15
S78	1	((bi\$1direction\$2 or (bi adj direction\$2) or (bi near2 direction\$2)) near4 current) same (chang\$3 decreas\$3 taper) near3 magnitude same (transducer head)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:14
S80	13	S76 and (demagnetiz\$3 same transducer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:21
S81	50	S76 and (demagnetiz\$3 same current)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:29
S82	7028	time near2 (vary\$3 chang\$3) near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:32
S83	182	S82 and (data near3 (transducer or head))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:32

S84	2	S83 and (residual near4 magneti\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:30
S85	183	time near2 (vary\$3 chang\$3) near2 current near3 frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:33
S86	2	S85 and (data near3 (transducer or head))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:33
S87	23	S85 and residu\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:35
S88	201	(preamp or pre near2 amp or amplifier or preamplifier) same (bi adj direction\$2 near4 current)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:48
S89	18	S88 and (demagnet\$6 or residu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 08:38
S90	7	("4970621").URPN.	USPAT	OR	ON	2005/04/14 08:40
S91	3	("3887945" "4471403" "4821127").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 08:43
S93	9	("4786991" "4799115" "5038230" "5053892" "5168409" "5187628" "5383064" "5392169" "5465186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 08:44
S95	5	S88 and (readback near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 09:03
S96	1	(transducer head) same permeable near3 pole same residu\$2 same (remov\$3 eras\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 09:04
S97	5	("3975772" "4649449" "4725909" "4807076" "4881143").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 09:06
S98	13508	(remov\$3 or delet\$3 or eras\$3 or demagnet\$6) same residu\$2 same (pole head transducer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 09:07
S99	76	S76 and S98	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 09:08

S10 0	34	(transducer head) same demagnetiz\$6 same (profile history)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:20
S10 1	32	demagnetiz\$6 same (sav\$3 stor\$3 remember\$3 memoriz\$6) same (profile history)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:22
S10 2	24	demagnetiz\$5 same current same readback and (linear exponential step)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:37
S10 3	391	(select\$3 choos\$3) near3 (profile history previous) same (preamp or amplifier or preamplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:42
S10 4	0	(select\$3 choos\$3) near3 (previous\$2 preced\$3 antecedent earlier past former) near3 (profile history) same (preamp or amplifier or preamplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:41
S10 5	2	(select\$3 choos\$3) near5 (previous\$2 preced\$3 antecedent earlier past former) near3 (profile history) same (preamp or amplifier or preamplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:41
S10 6	5	(select\$3 choos\$3) near9 (previous\$2 preced\$3 antecedent earlier past former) near3 (profile history) same (preamp or amplifier or preamplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:41
S10 7	2	S103 and ((demagnetization or demagnetizing) near3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:43
S10 8	24	seagate.as. and (residu\$2 near4 magnetiz\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:53
S10 9	1124	(demagnetiz\$5 or stabiliz\$5) same (magnetic adj2 (head transducer pole)) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:58
S11 0	377	S109 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 15:54

S11 1	2218	(demagnetiz\$5 or eras\$3 or stabiliz\$5) same (magnetic adj2 (head transducer pole)) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/15 09:32
S11 2	153	S111 and (profile history readback)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 16:06
S11 3	473	(select\$3 choos\$3) near4 current near3 (profile history)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 16:07
S11 4	93	S113 and (demagnetiz\$5 or stabiliz\$5 or eras\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 16:08
S11 5	6	S114 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/04/14 16:08